



NO
PUFF 
Pipe


**THE REVOLUTIONARY
NEW SMOKING SYSTEM**

Patent Pending

REDUCE SECONDHAND SMOKE

www.nopuffpipe.com


COMPONENT PARTS



SPOUT WITH CIGARETTE FILTER



STANDARD OVAL SHAPED DISPOSABLE LIGHTER (not included)





① We all know that smoking is harmful to your health. However, it is only in the recent past that the dangers of secondhand smoke have been widely recognized. Children, co-workers and innocent bystanders are all subject to the same hazards as smokers themselves.

② The revolutionary **NOPUFF PIPE** has been specifically developed to lower the amount of dangerous secondhand smoke circulating through the air. It is a totally self-contained system, that holds tobacco, lighter and cleaning utensil, all in one small device that fits in the palm of your hand.

③ Since all burning takes place internally, the only smoke emitted is what is exhaled. This can reduce secondhand smoke by up to 80%. Also, since there is no waste, it is very cost efficient, as whatever you are smoking lasts much longer.

④ In addition, the **NOPUFF PIPE** has been designed to help concerned smokers who are trying to kick the habit. Normally, when a person lights up, he/she smokes an entire cigarette; **NOPUFF** allows you to smoke **ONE PUFF AT A TIME**. In fact, it even has counter knobs to help monitor daily consumption.

⑤ It's great for cars, offices and other enclosed areas. Be sensitive: help clean up the air! Help yourself, your friends and your loved ones. Try the **NOPUFF PIPE** today!

INSTRUCTIONS FOR USE

It is easy to use your **NOPUFF** if you think of the mouthpiece as the face of a clock with the spout as hands.

There are four basic positions:

3:00 filling



6:00 smoking



9:00 emptying



12:00 cleaning



Remember these positions as you read the rest of the instructions:

I. INSERTING LIGHTER



Turn pipe over and open the sliding bottom door (a) Take standard disposable "Bic" oval-shaped lighter, and adjust to medium flame. Remove cardboard insert and gently push lighter into the pipe. **DO NOT FORCE!** Place tamp/cleaner (b) in slot next to lighter so that round tamper rests on the bottom of the lighter. Make sure lighter is pressed deep enough so that tamper does not prevent sliding door from closing.

II. CHOOSING A MOUTHPIECE



The **NOPUFF PIPE** comes with 2 different mouthpieces. The one with the larger "spout" is used for filter cigarettes; the smaller spout is used for non-filter and slim diameter cigarettes. It can also be used for regular pipe tobacco.

III. INSERTING FILTER AND REASSEMBLING MOUTHPIECE



Take a regular filter cigarette and break or cut off the filter tip. This tip fits inside the spout with the larger diameter.

To reassemble the mouthpiece, align the one flat edge of the metal bowl with the one flat edge of the mouthpiece. Press them together, making sure the bowl is all the way in, and the seal is airtight.

NOTE: The "fit" is very snug, and you may need to "rock" the 2 pieces gently in order to get the bowl into the mouthpiece.

IV. FILLING YOUR PIPE

(a) Carefully fill storage chamber with your smoking material. For cigarette smokers simply "break" the paper barrel and drop the tobacco into the storage chamber.



3:00



(b) Making sure mouthpiece is located at the 3:00 position ● replace bottom slide and tap pipe bottom so that smoking materials fall into bowl. Depending upon the type of tobacco, it may not "fall" readily, and it may be necessary to remove the bottom sliding door and use the "tamp" end to push tobacco into the bowl. Rotate mouthpiece to 6:00 position and turn pipe right-side up.

V. SMOKING



6:00



(a) Leave mouthpiece at 6:00 position and place between lips. At same time, ignite lighter using index or thumb finger. Draw gently (**DO NOT DRAW HARD AS THIS WILL EXTINGUISH FLAME!**) until you feel tobacco burning, then release lighter. **IMPORTANT: Do not leave lighter burning for more than 5 seconds: continuous exposure to flame may result in damage to pipe shell!**

(b) After 2-3 puffs, you will find it harder to light the pipe because ash has collected in front of the flame intake hole. Simply tap the pipe on the palm of your hand to rearrange the unburned materials in the bowl. If it is still hard to relight, rotate the mouthpiece to the 9:00 position so that the bowl is exposed to the air; use the self-contained tamp/cleaner to reshuffle the bowl contents.

VI. EMPTYING ASH



9:00

When all the tobacco is burned and only ash remains, rotate mouthpiece clockwise to the 9:00 position, so that the bowl is exposed to air. Turn pipe upside down and empty ash using cleaning probe if necessary to scrape out contents.

VII. REFILLING

Rotate mouthpiece to 3:00 position and follow same instructions as in IV (b).

VIII. PARTIAL CLEANING



If mouthpiece seems clogged and pipe is not drawing well, open sliding bottom door and remove tamp/cleaner. Place pointed end into small hole of the mouthpiece and push through metal into the bowl. Rotate cleaner in your fingers. This action should dislodge anything blocking your draw. It is also a good idea to make sure there are no materials clogging the flame intake hole preventing the materials from igniting.

IX. COMPLETE CLEANING



12:00




If clogging persists, rotate mouthpiece to 12:00 position. ●

Holding pipe body with one hand, remove mouthpiece with other hand by pulling gently towards you.

NOTE: 12:00 is the only position where mouthpiece can be removed - DO NOT FORCE!

Separate metal bowl from mouthpiece. Use metal probe and Q-tip with any normal solvent (such as nail polish remover) to clean bowl, flame hole, and draw channels.


IMPORTANT: make sure all solvent is completely removed before reassembling pipe and lighting.



To reassemble mouthpiece, follow the instructions in Section III.


To reinsert mouthpiece into the body of the pipe, reverse the above procedure. Just rotate the mouthpiece to the 12:00 position ● and push bowl gently back into pipe.

X. COUNTING YOUR PUFFS



Use the counter dials on the front of the pipe to monitor your daily consumption. The top dial counts "ones"; the bottom dial counts "tens." For example: to count 22, you would turn the top dial to "2" and the bottom dial to "20." Each time you take a puff, you simply rotate the proper knob to the correct position.

REDUCE SECONDHAND SMOKE



NO
PUFF
Pipe

**THE REVOLUTIONARY
NEW SMOKING SYSTEM**

**TO ORDER GO TO:
www.nopuffpipe.com**

•**EFFICIENT:** Totally self-contained. Holds its own disposable lighter. Has built-in storage chamber for automatic refilling of smoking materials.

•**ECONOMICAL:** All burning takes place internally, so **NO WASTE!** Smoking materials last longer.

•**CONVENIENT:** Wind screen lets you light up anywhere. Special design allows for easy cleaning.

Weights only 4 oz.

- ① Mouthpiece: Turns to SMOKE, EMPTY, CLEAN, REFILL
- ② Wind Shield
- ③ Lighter (not included)
- ④ Counters monitor intake
- ⑤ Bottom: Slides open up to INSERT LIGHTER, REFILL RESERVE CHAMBER and REMOVE TAMPER CLEANER



Made in China

www.nopuffpipe.com